

DERMATOLOGY

PATIENT INFORMATION

| | | | | |
|-------------|-------|--------|---------|--|
| Name: | | SSN: | DOB: | |
| Address: | | City: | State: | Zip: |
| Home Phone: | Cell: | Email: | Height: | Weight: |
| | | | | Gender: <input checked="" type="checkbox"/> Female <input type="checkbox"/> Male |

INSURANCE INFORMATION (or attach copy of the cards)

| | | | | |
|----------------------|----------------|---------------|-----------|----------|
| Primary Insurance: | Policy Holder: | Relationship: | Policy #: | Group #: |
| Secondary Insurance: | Policy Holder: | Relationship: | Policy #: | Group #: |

CLINICAL INFORMATION

Primary Diagnosis: Moderate to Severe Plaque Psoriasis Psoriatic Arthritis Hidradenitis Suppurativa Atopic Dermatitis Alopecia Areata Other: _____ Diagnosis Code (ICD-10): _____

Date of Diagnosis: _____ TB Test Completed On: _____ BSA: _____ Latex Allergy: Y N

PRESCRIPTION INFORMATION (for IV medication attach a copy of the prescription)

ADBRY™ (tralokinumab-ldm) 150 mg PFS
 Induction: Inject 600 mg (4 x 150 mg) SUBQ
Qty: 4 **Refills:** None
Maintenance:
 Inject 300 mg (2 x 150 mg) SUBQ every other week
 Inject 300 mg (2 x 150 mg) SUBQ every 4 weeks
 ADBRY™ Bridge Care™ Program:
 Inject 300 mg (2 x 150 mg) SUBQ every other week, starting on Day 15
Qty: _____ **Refills:** _____

AMJEVITA™ (adalimumab-atto) PFS
 SureClick 40 mg/0.8 mL PFS 20 mg/0.4 mL
 PFS 40 mg/0.8 mL
 Induction: Inject 2 x 40 mg SUBQ
 Maintenance: 40 mg every other week starting 1 week after initial dose
Qty: _____ **Refills:** _____

BIMZELX® (bimekizumab-bkzx) PFS
 Bridge*
 Induction: Inject 320 mg (2 x 160 mg) SUBQ at week 0, 4, 8, 12, and 16
Qty: 10 syringes **Refills:** _____
 Maintenance: Inject 320 mg (2 x 160 mg) SUBQ every 8 weeks
Qty: 2 syringes **Refills:** _____

CIBINQO™ (abrocitinib) tablet
 50 mg 100 mg 200 mg _____ mg PO once daily
Qty: _____ **Refills:** _____

Cimzia® (certolizumab pegol) PFS
 Induction: Inject 2 x 200 mg/mL SUBQ at week 0, 2, and 4
 6 syringes **Refills:** 0
Maintenance:
 2 x 200 mg SUBQ every 4 weeks
 2 x 200 mg SUBQ every 2 weeks
 200 mg SUBQ every 2 weeks
Qty: 28 days **Refills:** _____

COSENTYX® (secukinumab)
75 mg PFS
 Induction: Inject 300 mg (2 x 150 mg/mL) SUBQ week 0, 1, 2, 3, 4
Qty: 10 **Refills:** 0
 Maintenance: Inject 300 mg SUBQ every 4 weeks
Qty: 28 days **Refills:** _____

150 mg 150 mg Sensoready® Pen Kit 150 mg PFS
 Induction: Inject 150 mg SUBQ week 0, 1, 2, 3, 4
Qty: 5 **Refills:** _____
 Maintenance: Inject 150 mg SUBQ every 4 weeks
Qty: 28 days **Refills:** _____

300 mg UnoReady Pen (1 x 300 mg/2 mL)
 Sensoready® Pen Kit (2 x 150 mL) PFS (2 x 150 mL)
 Induction: Inject 300 mg SUBQ week 0, 1, 2, 3, 4
Qty: 10 **Refills:** 0
 Maintenance: Inject 300 mg SUBQ every 4 weeks
Qty: 28 days **Refills:** _____
 Bridge*

OTHER: _____ **STRENGTH:** _____

DUPIXENT® (dupilumab) PFS pen
 Induction: Inject 2 x 300 mg (600 mg) SUBQ Day 1
Qty: 2 for 14 days **Refills:** None
 Maintenance: Inject 300 mg SUBQ every other week
Qty: 2 for 28 days **Refills:** _____

ENBREL® (etanercept)
 Mini Cartridge PFS Autoinjector Vial
 Induction: Inject (50 mg) SUBQ twice weekly for three months
Qty: 8 **Refills:** 2
Maintenance: 50 mg 25 mg
 Once weekly SUBQ Twice weekly SUBQ
Qty: 8 4 **Refills:** _____

ERIVEDGE™ (vismodegib)
 150 mg capsule once daily PO, with or without food
Qty: 28 days **Refills:** _____

HUMIRA® (adalimumab)
 pen PFS
 citrate free (CF) original formula
Hidradenitis Suppurativa Starter:
 160 mg SUBQ day 1, 80 mg SUBQ day 15
 80 mg SUBQ day 1, 80 mg SUBQ day 2, 80 mg SUBQ day 15
 Psoriasis Starter: 80 mg SUBQ day 1, 40 mg SUBQ day 8, 40 mg SUBQ day 22
Qty: 1 Pack **Refills:** 0
 Hidradenitis Suppurativa Maintenance:
 40 mg SUBQ once weekly, beginning day 29
 80 mg SUBQ every other week, beginning day 29
 Psoriasis Maintenance: 40 mg SUBQ every other week
Qty: 28 days **Refills:** _____

ILUMYA™ (tildrakizumab-asmn) PFS
 Induction: Inject 100 mg/mL SUBQ at weeks 0 and 4
Qty: 2 **Refills:** None
 Maintenance: Inject 100 mg/mL SUBQ every 12 weeks
Qty: _____ **Refills:** _____

INFLECTRA® (infliximab-dyyb) 100 mg vials
 3 mg/kg 5 mg/kg 10 mg/kg
 Induction: Give dose as an IV infusion at 0, 2, and 6 weeks
Qty: _____ **Refills:** 2
 Maintenance: Give dose as an IV infusion every ___ weeks
Qty: _____ **Refills:** 2

LITFULO™ (ritlectinib) capsule 50 mg PO once daily
Qty: 28 **Refills:** _____

NEMLUVIO® (nemolizumab-ito) PFS
 30 mg/mL
 Induction: Inject 60 mg/mL (2 x 30 mg/mL) SUBQ
Qty: 2 **Refills:** None
 Maintenance: Inject 30 mg/mL SUBQ every 4 weeks
Qty: _____ **Refills:** _____

ODOMZO® (sonidegib) capsule 200 mg on an empty stomach, at least 1 hr before or 2 hrs after a meal
Qty: 30 **Refills:** _____

OLUMIANT® (baricitinib) tablet
 2 mg PO once daily 4 mg PO once daily
Qty: _____ **Refills:** _____

OPZELURA® (ruxolitinib) cream 1.5% cream 60 gram tube
Qty: _____ tubes **Refills:** 0
Qty: 28 day supply

SIG/DIRECTIONS: _____

OTEZLA® (apremilast)
 Titration Pack: PO as directed per package instructions
Qty: 1 Pack **Refills:** 0
 Bridge Pack: PO as directed per package instructions
Qty: 1 Pack **Refills:** _____
 Maintenance: (30 mg) PO twice daily
Qty: 30 days **Refills:** _____

REMICADE® (infliximab) 100 mg vial Biosimilar authorized
 Induction: 5 mg/kg as an IV infusion at 0, 2, and 6 weeks
Qty: 1 dose **Refills:** 2
 Maintenance: 5 mg/kg as an IV infusion every 8 weeks
Qty: _____ **Refills:** _____

RINVOQ® (upadacitinib) extended-release tablet
 15 mg 30 mg
 Once daily PO with or without food
Qty: _____ **Refills:** _____

SILIQ® (brodalumab) PFS
 Induction: Inject 210 mg SUBQ weeks 0 and 1
Qty: 2 **Refills:** 0
 Maintenance: Starting at Week 2 of therapy, inject 210 mg SUBQ every 2 weeks
Qty: 2 **Refills:** _____

SIMPONI® (golimumab)
 PFS Autoinjector
 Inject 50 mg SUBQ once a month
Qty: 1 **Refills:** _____

SKYRIZI™ (risankizumab-rzaa)
 PFS pen
 Inject 150 mg (1 injection) SUBQ at Week 0, Week 4
Qty: 2 syringes **Refills:** _____
 Maintenance: Inject 150 mg SUBQ every 12 weeks
Qty: _____ **Refills:** _____

STELARA® (ustekinumab)
 45 mg PFS 90 mg PFS
 Induction: Inject contents of 1 syringe SUBQ on day 0 and day 28
Qty: 1 syringe **Refills:** 1
 Maintenance: Inject contents of 1 syringe SUBQ every 12 weeks
Qty: 1 syringe **Refills:** _____

SOTYKTU™ (deucravacitinib) 6 mg tablet
 Once daily PO with or without food
Qty: _____ **Refills:** _____

TALTZ® (ixekizumab)
 citrate free (CF) Autoinjector PFS
 Psoriasis Induction: Inject 160 mg (2 x 80 mg) SUBQ at week 0; Inject 80 mg at weeks 2, 4, 6, 8, 10, 12
Qty: 8 **Refills:** 0
 Psoriatic Arthritis Induction: Inject 160 mg (2 x 80 mg) SUBQ at week 0
Qty: 2 **Refills:** 0
 Maintenance: 80 mg SUBQ every 4 weeks
Qty: 1 **Refills:** _____

TREMFYA® (guselkumab)
 PFS Autoinjector
 Induction: Inject 100 mg SUBQ weeks 0 and 4
Qty: 1 **Refills:** 1
 Maintenance: Inject 100 mg SUBQ every 8 weeks
Qty: 1 **Refills:** _____

QUANTITY: _____ **REFILLS:** _____

As required by your state, Prescriber to check "Dispense as written" or handwritten "Brand Medically Necessary" and sign to prevent generic substitution. Dispense as written

PHYSICIAN INFORMATION

| | | |
|-----------------------|----------|---|
| Prescriber Name: | Phone: | Office to Instruct <input type="checkbox"/> SP to Arrange Teaching <input type="checkbox"/> |
| Office Contact: | Email: | Fax: |
| Address: | City: | State: Zip: |
| NPI #: | Tax ID#: | Ship To: <input type="checkbox"/> Patient <input type="checkbox"/> MD Office |
| Prescriber Signature: | Date: | |