

ORAL ONCOLOGY

PATIENT INFORMATION

Name:		SSN:		DOB:	
Address:		City:		State:	ZIP:
Home Phone:	Cell:	Height:	Weight:	Gender:	Female Male
Email:		Allergies:			
Primary Diagnosis (ICD-10):		Secondary Diagnosis (ICD-10):			

INSURANCE INFORMATION (or attach copy of cards)

Primary Insurance:	Policy Holder:	Relationship:	Policy #:	Group #:
--------------------	----------------	---------------	-----------	----------

PRESCRIPTION INFORMATION (or attach a copy of prescription)

MEDICATION	STRENGTH	DIRECTIONS	QTY	REFILLS
REVLIMID® (lenalidomide)* <i>Complete lab section below</i>	☐ 2.5 mg ☐ 5 mg ☐ 10 mg ☐ 15 mg ☐ 20 mg ☐ 25 mg	☐ Take _____ caps PO once a day on days 1-21, of a 28 day cycle ☐ Take _____ caps PO once a day on days 1-14, of a 21 day cycle ☐ Take _____ caps PO once a day on days 1-14, of a 28 day cycle ☐ Take _____ caps PO once a day continuously on days 1-28		None
THALOMID® (thalidomide)	☐ 50 mg ☐ 100 mg ☐ 150 mg ☐ 200 mg	☐ Take _____ caps PO once daily at bedtime		None
POMALYST® (pomalidomide)	☐ 1 mg ☐ 2 mg ☐ 3 mg ☐ 4 mg	☐ Take _____ caps PO once daily on days 1-21, of a 28 day cycle		None

Patient Type: ☐ Adult Female, Not of Reproductive Potential ☐ Adult Female, Reproductive Potential ☐ Female Child, Not of Reproductive Potential
☐ Female Child, Reproductive Potential ☐ Adult Male ☐ Male Child

Celgene Auth #: _____ Date Issued: _____

† To prevent delays and minimize phone calls please provide the following labs: Serum Creatinine: _____ eGFR/CrCL: _____ Date: _____

SPRYCEL® (dasatinib)*	☐ 20 mg ☐ 50 mg ☐ 70 mg ☐ 80 mg ☐ 100 mg ☐ 140 mg	☐ Take _____ mg PO once daily with or without a light meal		
GLEEVEC® (imatinib)*†	☐ 100 mg ☐ 400 mg	Take _____ mg PO once daily with food		
XELODA® (capecitabine)*† <i>Complete lab section above</i>	☐ 150 mg ☐ 500 mg Total dose: _____ mg	☐ Take total dose PO twice daily on days 1-14 of 21 day cycle. Repeat. ☐ Take total dose PO twice daily in conjunction with radiation: ☐ M-F ☐ 7 days/week Radiation length of therapy: _____ ☐ Other _____		
TEMODAR® (temozolomide)*	Total dose: _____ mg tablet	☐ Take _____ mg PO once daily for 5 days every 28 days ☐ Take _____ mg PO once daily in conjunction with radiation for _____ days ☐ Start Date _____ for _____ # of days a week ☐ Other _____		
JADENU™ (deferasirox)* † ☐ Tablets ☐ Sprinkle Granules	☐ 90 mg ☐ 180 mg ☐ 360 mg	Take _____ mg PO once daily with or without a light meal		
EXJADE® (deferasirox)* † Tablets for Suspension	☐ 125 mg ☐ 250 mg ☐ 500 mg	Take _____ mg PO once daily on an empty stomach at least 30 minutes before food		
ZYTIGA® (abiraterone acetate)*	☐ 250 mg ☐ 500 mg	Take _____ mg PO once daily		
with PREDNISONE ☐ Rx sent to local pharmacy	_____ mg	☐ CRPC: Take 5 mg PO twice daily with food ☐ CSPC: Take 5 mg PO once daily with food		
JAYPIRCA® (pirtobrutinib) Tablets	☐ 50 mg ☐ 100 mg	Take _____ mg PO once daily		
RETEVMO® (selpercatinib) Tablets	☐ 40 mg ☐ 80 mg ☐ 120 mg ☐ 160 mg	Take _____ mg PO twice daily		
VERZENIO® (abemaciclib) Tablets	☐ 50 mg ☐ 100 mg ☐ 150 mg ☐ 200 mg	Take _____ mg PO twice daily		

AFINITOR® (everolimus)* AGRYLIN® (anagrelide)* ALECENSA® (aleutinib) AUGTYRO™ (repotrectinib) BESPONSA® (inotuzumab ozogamicin) BOSULIF® (bosutinib) † BRAFTOVI® (encorafenib) CABOMETYX® (cabozantinib) COMETRIQ™ (cabozantinib)	COTELLIC® (cobimetinib) CYTOXAN® (cyclophosphamide)* DAURISMO™ (glasdegib) DEFERIPRONE ERIVEDGE™ (vismodegib) ERLEADA™ (apalutamide) FASLODEX® (fulvestrant)* FEMARA® (letrozole)* FORTEO® (teriparatide)	GAVRETO® (pralsetinib) IBRANCE® (palbociclib) IDHIFA® (enasidenib) INLYTA® (axitinib) ITOVEBI™ (inavolisib) KISQALI® (ribociclib) LENNVIMA® (lenvatinib) LORBRENA® (lorlatinib)* MEKINIST™ (trametinib)	MEKTOVI® (binimetinib) MYLOTARG™ (gemtuzumab ozogamicin) NILANDRON® (nilutamide) ODOMZO® (sonidegib) OPDIVO QUANTIG™ (nivolumab and hyaluronidase-nvhy) ONUREG® (azacitidine) PIQRAY® (alpelisib) PROMACTA® (eltrombopag)	ROZLYTREK® (entrectinib) RYDAPT® (midostaurin) SOMATULINE® DEPOT (lanreotide) SORAFENIB SUTENT® (sunitinib malate)* TABRECTA® (capmatinib) TAFINLAR® (dabrafenib) TALZENNA® (talazoparib) TARCEVA® (erlotinib)* TARGRETIN® (bexarotene)*	TASIGNA® (nilotinib) TYKERB® (lapatinib)* VIZIMPRO® (dacomitinib) VOTRIENT® (pazopanib) XALKORI® (crizotinib)* XTANDI® (enzalutamide) YONSA® (abiraterone acetate) ZELBORAF® (vemurafenib) ZOLINZA™ (vorinostat)
					*AVAILABLE IN GENERIC
Drug Name (write in one of the above): _____			Quantity: _____ Refills: _____		
☐ Dose: _____ Frequency: _____					
Drug Name (write in one of the above): _____			Quantity: _____ Refills: _____		
☐ Dose: _____ Frequency: _____					

Start of Therapy Date:

Ship To: ☐ Patient ☐ MD Office

As required by your state, Prescriber to check "Dispense as written" or handwritten "Brand Medically Necessary" and sign to prevent generic substitution.

☐ Dispense as written

PHYSICIAN INFORMATION

Prescriber Name:	Phone:	Fax:
Office Contact:	Email:	
Address:	City:	State: ZIP:
NPI #:	Tax ID #:	
Prescriber Signature:	Date:	